DocuPrint M375 z DocuPrint P375 dw

Driving productivity to the next level







Plenty of power, user friendly yet secure, and loaded with handy features. The DocuPrint M375 z and DocuPrint P375 dw machines are a tough, compact, and practical solution for busy offices.

Personal or workgroup users, these economical models deliver convenience, connectivity and capacity from one single machine.

Powerful

Small size, big on power

- •Various models to choose from: basic single function printers to more featurepacked sophisticated all-in-one versions.
- Great functions & performance improve work flow & productivity within an office.
- •High speed (40 pages per minute) printing helps get the job done fast.
- •Additional paper tray option helps improve productivity for users with high print volume by reducing routine of replenishing paper.
- •Large capacity toner units cut down on toner changes.
- •Automatic Document Feeder^{*1} enables speedy single-pass two-sided scanning^{*2}.
- *1 Available on DocuPrint M375 z.

```
Note: When using FUJIFILM Business Innovation Print Utility, two-sided scanning is not available.
```

•Users can select different paper qualities and thicknesses according to their needs.

Easy to use

Simple but effective

- •Compact, sensible and stylish design.
- •Select a machine size & functions just right for your budget & needs.
- A range of user-friendly free-of-charge applications* available to enhance productivity and connectivity and make it easy to print from your mobile phone. * FUJIFILM Business Innovation Print Utility and Mopria.
- •Operated by a user-friendly, intuitive colour touch panel*. Stylish, easy-to-use modern design.
- * Available on DocuPrint M375 z.
- Great connectivity: you select an access method that works for you. Simultaneous connection with Ethernet and Wi-Fi Direct* enables you to connect with the machine from a fixed location (such as a desk), or on the run.
- * Available on DocuPrint M375 z and DocuPrint P375 dw.
- •Bypass Tray enables use of a range of thick paper stock to suit your individual printing needs.

Reliable

Tasks done securely

- •Dependable & secure.
- •Secure Print function enables you, and only you to print and access your own output on-demand.
- •The Secure Function Lock feature means that you can control who accesses & uses the various functions of the machine to copy, scan or fax. Page limits can be set to help you manage costs.
- •Responds to your high-volume printing needs with high durability. (Monthly Maximum Duty Cycle: 100000 pages)
- •1200 x 1200 dpi high resolution quality printing.
- •Economical & effective: Delivers quality, power & reliability that is easy on the wallet. Low-profile device, but high quality output.



*2 50 sheets on DocuPrint M375 z.

The available model varies depending on the country/region. Please ask the sales representatives for details.

^{*2} Available on DocuPrint M375 z.



Two-way (front & back) printing output



- •Simply select the output point (front or back output tray) that matches the type of paper to be used.
- •The machine adopts a straight paper path, which realizes face-up print output. No more curling when using thick paper. Nice and flat.

Easy to use interface

- •The machine features an intuitive colour touch panel* that allows you to swipe through the menu with ease. * Available on DocuPrint M375 z.
- •To start the operation, simply touch the colour touch panel*. When you finish the operation, the display on the panel automatically turns off. Easy to use and energy saving.
- * Available on DocuPrint M375 z.
- •You do not need to enter the same settings repeatedly. Save your favorite settings as Shortcuts^{*}, which saves time and boosts the productivity.
- * Available on DocuPrint M375 z.



* The above image shows the user interface on DocuPrint M375 z when the colour touch panel and other operation parts are all displayed.

Packed with smart features



Easy Front Access: Access print output and change-out consumables (such as toner and paper) quickly, simply and cleanly from the front of the machine.

- Automatic Document Feeder*: Quickly scan, copy and fax one or two-sided, and multiple-page documents. Also scanner glass is convenient to scan thick documents such as books.
 * Available on DocuPrint M375 z. The left image shows DocuPrint M375 z.
- **2 USB Port*:** Use your own USB drive to save scans or print directly from the USB.

* Available on DocuPrint M375 z.

- **3** Bypass Tray (50 sheets): Capable of handling various different types & sizes of paper, envelopes, labels, and post cards.
- 4 Standard Tray (250 sheets): This tray is for standard users. Various types & sizes of paper can be used.
- 520 Sheet Feeder^{*1}: Even if users want to print high-volume documents, the machine can respond to the needs with a maximum paper feeding capacity 1340 sheets^{*2}.
 - *1 Optional. 250 Sheet Feeder and 520 Sheet Feeder are available. Up to two optional feeders can be added.
 - *2 When two 520 Sheet Feeders are added

Note: Paper feeding capacity is based on 80gsm paper.

DocuPrint M375 z / DocuPrint P375 dw, Functions & Specifications DocuPrint M375 z. DocuPrint P375 dw

Basic Specifications / Copy Function

| Item | | Description | |
|---|--------------------|---|--|
| Туре | | Desktop | |
| Memory capacity | | 512 MB (Max: 512 MB) | |
| Hard disk capacity | | | |
| Scan Resolution | | 1200 x 1200 dpi (from Scanner Glass), 600 x 600 dpi (from Automatic Document Feeder | |
| Printing Resolution | | 1200 x 600 dpi (from Scanner Glass), 600 x 600 dpi (from Automatic Document Feeder) | |
| Warm-up Time | | 27 seconds or less if the main power is on (23 degrees Celsius room temperature) | |
| Recovery Time (Recovery Time from Sleep Mode) | | 5 seconds or less (23 degrees Celsius room temperature) | |
| Original Size | | Maximum of A4, Letter, Legal for both Sheet and Book | |
| | Max | A4, Letter, Legal | |
| Paper Size | Min | A6, Monarch (98.4 x 190.5 mm) (When using Bypass Tray) | |
| | Image loss width*1 | Lead edge 3.0 mm, Trail edge 3.0 mm, Right/Left edge 2.1 mm | |
| Paper | Paper Tray | 60 to 120 gsm | |
| Weight ^{*2} | Bypass Tray | 60 to 200 gsm | |
| First Copy Output Time | | 9.2 seconds (A4, Ready Mode) | |
| Continuous | A4 / B5 | 40 sheets/minute | |
| Copy Speed ^{*3} | A5 LEF | 60 sheets/minute | |
| | Standard | Standard Tray: 250 sheets Bypass Tray: 50 sheets | |
| Paper Tray Capacity*4 | Optional | 250 Sheet Feeder: 250 sheets 520 Sheet Feeder: 520 sheets | |
| cupucity · | Max | 1340 sheets [Standard + 520 Sheet Feeder x 2] | |
| Output Tray G | apacity*4 | 150 sheets (Face-down), 10 sheets (Face-up ⁺⁵) | |
| Power Supply | | AC220-240 V +/- 10 %, 5.6 A, 50/60 Hz common | |
| Maximum Power Consumption | | 1344 W Sleep Mode: 1.1 W Ready Mode: 34 W | |
| Dimensions ^{*6} | | W 495 x D 427 x H 486 mm | |
| Weight ^{*7} | | 17.3 kg | |
| Monthly Max Duty Cycle | | 100,000 pages | |

*1: When using A4 size. *2: It is recommended to use our recommended paper. Correct print output may not be possible depending on the requirement. *3: The speed may be reduced due to the image quality adjustment. *4: 80 gsm paper. *5: Face up with rear cover open. *6: 520 Sheet Feeder (height): 152mm, 250 Sheet Feeder (height): 20 Sheet Feeder (height): 20 Sheet Feeder: 4 kg, 250 Sheet Feeder: 3 kg.

Scan Function

| Item | | DocuPrint M375 z | |
|-----------------|----------|--|--|
| Туре | | Colour Scanner | |
| Scan Resolution | | 1200 x 1200 dpi (from Scanner Glass), 600 x 600 dpi (from Automatic Document Feeder) | |
| Scan Speed | | Same as the "Scan Speed" for the Automatic Document Feeder | |
| Interface | Standard | Ethernet 1000BASE-T / 100BASE-TX / 10BASE-T, USB2.0, Wireless LAN | |

Fax Function

| Item | DocuPrint M375 z / M375 dw |
|----------------------|--|
| Original Size | A4, Letter, Legal ^{*1} |
| Recording Paper Size | A4 |
| Transmission Time | 2 seconds and more but fewer than 3 seconds ^{*2} |
| Transmission Mode | ITU-T G3 |
| A 11 1 1 1 | Talashana subastikas line DDV Fau Communication (DCTN) Maximum 1 and 3 (CD 1 and) |

Applicable Lines Telephone subscriber line, PBX, Fax Communication (PSTN), Maximum 1 port*3 (G3-1 port) "I's Not available on Scanner Glass for DocuPrint M375 dw. 'Z: When A4 size document with approximately 700 characters is transmitted in standard image-quality (8 x 3.85 lines/mm) and in high-speed mode (28.8kbps or faster, JBIG). Only indicates the time for transmitting the image information and does not include the communication control time. The total communication time will vary depending on the contents of the document, the type of machine receiving the fax, and line condition. *3: No. of FAX lines is up to 1 port. Port refers to number of channels for FAX.

Automatic Document Feeder

| Item | | DocuPrint M375 z | DocuPrint M375 df |
|-------------------------------|--|--|---|
| Original Size / Paper Weight | | Max: A4, Letter, Legal; Min: A5 ⁻¹ 64 to 90 gsm (In Duplex: 64 to 90 gsm) | Max: A4, Letter, Legal; Min: A5'1 64 to 90 gsm |
| Capacity*2 | | 70 sheets | 50 sheets |
| Scan Speed' ³ Scan | | B/W: 28 sheets/minute, Colour: 20 sheets/minute(1 pass, 2 sided scanning; B/W: 56 ppm, Colour: 34 ppm) | B/W: 24 sheets/minute, Colour: 20 sheets/minute |

*1: The minimum custom size is 146 x 150 mm. *2: 80 gsm paper. *3: The scanning speed varies depending on the documents

Apple, iPhone, AirPrint, iPad, iPad Air, iPad Pro, iPod touch, and Mac are trademarks of Apple Inc., registered

Appe, infone, Amini, indu, indu hin, indu hin, indu touch, and wald are trademarks of Appiering, registered in the U.S. and other countries. All product names and company names mentioned in this brochure are trademarks or registered trademarks of their respective companies. The product specifications, appearance and other details in this brochure are subject to change without

notice for improvements. The available model varies depending on the country/region. Please ask the sales representatives for details.

Reproduction Prohibitions Please note that reproduction of the following is prohibited by law : Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.

Printing Method Laser Xerography 25 seconds or less if the main power is on (23 degrees Celsius room temperature) Warm-up Time seconds or less from Sleep Mode. 40 ppm (A4) Continuous Simplex Print Speed Duplex 20 ppm (A4) First Print Output Time 7.2 seconds (A4) 1200 x 1200 dpi Printing Resolution A4, Letter, Legal, B5 (JIS), A5, A5 LEF, A6, Executive (184 x 267 mm), Folio (216 x 330 mm) Standard Tray Width: 69.8 to 216 mm, Length: 127 to 355.6 mm Bypass Tray Paper Size Envelope: COM-10, DL, C5, Monarch A4, Letter, Legal, B5 (JIS), A5, A6, Executive (184 x 267 mm), Folio (216 x 330 mm) Optional Tray 2 sided Printing A4, Letter, Legal, Folio (216 x 330 mm) Standard Tray 60 to 120 gsm 60 to 200 gsm Bypass Tray Paper Weight Optional Tray 250 Sheet Feeder: 60 to 120 gsm 520 Sheet Feeder: 60 to 120 gsm 2 sided Printing 60 to 105 gsm Standard Standard Tray: 250 sheets Bypass Tray: 50 sheets Paper Tray Capacity^{*1} Optional 250 Sheet Feeder: 250 sheets 520 Sheet Feeder: 520 sheets Max 1340 sheets [Standard + 520 Sheet Feeder x 2] Output Tray Capacity*1 Standard 150 sheets (Face-down), 1 sheet (Face-up^{*2}) CPU Cortex-A9 800 MHz Memory capacity 256 MB (Max: 256 MB) Hard disk Page Description PCL6, PS3 emulation, PDF version 1.7, XPS (XML Paper Specification) Standard Language version 1.0 Windows 10 (32 bit/64 bit) Windows 7 (32 bit/64 bit) Windows Server 2016 (64 bit) Windows 8.1 (32 bit/64 bit) Windows Server 2019 (64 bit) Windows Server 2012 R2 (64 bit) Supported Operating System^{*3} Standard Windows Server 2012 (64 bit) Win Windows Server 2012 (64 bit) Win Windows Server 2008 (32 bit/64 bit) macOS 10.15 / 10.14 / 10.13 / 10.12 Windows Server 2008 R2 (64 bit) Ethernet 1000BASE-T / 100BASE-TX / 10BASE-T, USB2.0, Wireless LAN Interface Standard TCP/IP (IPv4 / IPv6, lpd, Port9100, IPP/IPPS) Network Protocol Power Supply AC220-240 V +/- 10 %, 5.6 A, 50/60 Hz common Operating Noise* In Operation 6.81 B, 52.0 dB (A) Max 1344 W Maximum Sleep Mode 1.0 W Ready Mode: 32 W In Operation: 640 W Consumption Average Dimensions*6 W 373 x D 388 x H 255 mm 10.7 kg (Including consumables and drum) 9.5 kg (Excluding consumables and drum) Weight*7 Monthly Max Duty Cycle 100,000 pages

1: 80 gsm paper. *2: Face up with rear cover open. *3: Please refer to our official website for the latest supported OS. *4: Measured in accordance to ISO7779. Unit B: Sound Power Level UWAd, Unit dB: Radiated Sound Pressure Level LpAm (bystander position). *5: Main unit only. *6: 520 Sheet Feeder (height): 152mm, 250 Sheet Feeder (height): 122 mm. (Up to 2-trays can be installed.) *7: 520 Sheet Feeder: 4 kg, 250 Sheet Feeder: 3 kg.

Options

Print Function

Description

Item

| Product Name | Product Code |
|------------------|--------------|
| 250 Sheet Feeder | EL300934 |
| 520 Sheet Feeder | EL300935 |


Consumables / Supplies

| Product Name | Product Code | Product Life | | |
|---|--------------|----------------------------------|--|--|
| Toner Cartridge Standard Capacity | CT203108 | Up to 4,000 pages ^{*1} | | |
| Toner Cartridge High Capacity | CT203109 | Up to 12,000 pages ^{*1} | | |
| Drum Cartridge | CT351174 | Up to 50,000 pages ^{*2} | | |
| *1: Approximate toner cartridge yield in accordance with ISO/IEC 19752 (letter/A4). *2: Approximately 30,000 pages based on 1 page per job and 50,000 pages based on 3 pages per job (letter/A4). * | | | | |

of pages may be affected due to a variety of factors including but not limited to media type and media size. Machine initially comes with standard Toner and Drum Cartridge same as reorder.

Notes

To comply with paper weight specifications, it is recommended to use our recommended paper. Document may not be printed correctly depending on usage conditions.
Functional spare parts will be available for at least 7 years after the product is no longer manufactured.



For Your Safety Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit

FUJIFILM

สำหรับท่านที่สนใจ หรือต้องการข้อมูลเพิ่มเติมกรุณาติดต่อ

บริษัท ฟูจิฟิล์ม บิสซิเนส อินโนเวชั่น (ประเทศไทย) จำกัด

123 อาคารซันทาวเวอร์ เอ ชั้น 23-26 ถนนวิภาวดีรังสิต จอมพล จตุจักร กรุงเทพฯ 10900 ໂກร: 02-660-8000 แฟกซ์: 02-617-6748-9 Call Center: 02-660-8400

fujifilm.com/fbth



Chomphon, Chatuchak, Bangkok 10900 Tel: 02-660-8000 Fax: 02-617-6748-9 Call Center: 02-660-8400

This catarog includes Fuji Xerox product(s), licensed from Xerox Corporation. The distributor of the product(s) is FUJIFILM Business Innovation Corp. Xerox, Xerox and Design, Fuji Xerox and Design, as well as DocuPrint are registered trademarks or trademarks of Xerox Corporation in Japan and/or other countries.

FUJIFILM and FUJIFILM logo are registered trademarks or trademarks of FUJIFILM Corporation.

The information is as of April, 2021. PIC-0139 TH (1903-R2)



