

GENERAL PURPOSE HANDHELD

Voyager 1250g General Duty Scanner

Voyager 1250g General Duty Scanner

Overview



Feedback

Extend your scanning range with the Voyager™: 1250g single-line laser barcode scanner. It aggressively reads linear barcodes up to 58.4 cm (23 in) away, making the job more comfortable and productive for your team. And the scanner is quick to switch to hands-free scanning with the included stand.

- Automatic Interface Detection: Supports all popular interfaces in one device, replacing the time consuming process of scanning programming bar codes with automatic interface detection and configuration.
- Extended Depth of Field: Scans out-of-reach items with ease and allows users to scan 13 mil bar codes from as far away as 17.6 inches (447 mm).
- Remote MasterMind™ Ready: Reduces total cost of ownership by providing a turnkey remote device management solution that easily manages and tracks usage of installed devices.
- Ergonomic Design: Fits comfortably in most hands, reducing user fatigue in scan-intensive applications.
- Superior Out-of-Box Experience: Simplifies set up with quick and easy stand assembly: automatic in-stand detection and configuration: increases throughput with true object detection.
- CodeGate®: Technology: Enables users to ensure that the desired bar code is scanned before transmitting data, making the scanner ideal for use in menu scanning applications.

The Voyager 1250g single-line laser scanner combines the Voyager series' proven performance with extended depth of field to make scanning out-of-reach items a breeze. The ability to read barcodes up to 58.4 cm (23 in) away will make the job much more comfortable for your workers – for example, when your cashiers reach to scan larger items left in shopping carts, and your inventory takers scan products stored high atop shelves. The 1250g scanner is easy to use and efficient, so your team can be at its best. It's optimized to scan linear barcodes fast – even poorly printed and damaged codes. That's important because it minimizes the need for manual data entry. And that leads to increased productivity and fewer errors. Speaking of productivity, the 1250g scanner's stand lets you take advantage of hands-free scanning for those applications that benefit from being able to use both hands. We've also made installation quick and plug-and-play easy. Simply plug the device's cable into your host system and the 1250g scanner will automatically configure itself to the appropriate interface. No programming barcodes to scan. No hassle.

Specifications

FEATURES

Features

- Automatic Interface Detection
- Ergonomic Design
- Extended Depth of Field

DIMENSIONS

Overall Dimensions

- 2.3 x 6.6 x 2.9 in
- 6 x 16.8 x 7.4 cm

SCANNING SPECIFICATIONS

Skew

- 60

Print Contrast

- 20

Brightness

- 0 - 75000 lux

Decode Capability

- 1D

Depth of Field

- 0 - 17.6 in

Pitch

- 60

Scanning Range

- Standard range (SR)

Scan Pattern

- Single Scan Line

Feedback

NETWORK

Bluetooth Specifications

- N/A

Bluetooth

- No

HARDWARE

Host System Interface

- KBW
- RS-232
- RS-232C
- RS-485
- USB

Engine Type

- 1D Laser

Wireless

- No

ELECTRICAL

Standby Power

- 0.43

ENVIRONMENTAL

Storage Temperature Range

- - 20 - 60 °C
- - 4 - 140 °F

Operating Humidity

- 5 - 95 %

STANDARDS & APPROVALS

Drop Specifications

- 30 1.5 m (5 ft) drops to concrete

Protection Ratings

- IP41

OTHERS

Form Factor

- Gun Shape

Operating Power

- 0.7 W

Input Voltage

- 5 V DC

Operating Temperature

- 0 - 40 °C
- 32 - 104 °F

Warranty Duration

- 5 yr

Brand

- Honeywell

Power Connector Type

- Corded

Product Number

SKUs

| SKU | DESCRIPTION |
|-------------------|---|
| 1250G-1 | Scanner only: 1D, ivory, RS232/USB/KBW/IBM |
| 1250G-1USB | 1250G Scanner, 1D Ivory, USB Kit |
| 1250G-2 | Scanner only: 1D, black, RS232/USB/KBW/IBM |
| 1250G-2-18827 | SCANNER, BLK, 1D, UPS, EWR-18827 |
| 1250G-2KBW-1 | KBW Kit: 1D, black scanner (1250g-2), flex neck presentation stand (STND-15F03-009-4), KBW PS2 5V Power 3m coiled cable (CBL-720-300-C00) and documentation |
| 1250G-2USB | USB Kit: 1D, black scanner (1250g-2), no presentation stand, USB Type A 3m coiled cable (CBL-500-300-C00) and documentation |
| 1250G-2USB-1 | USB Kit: 1D, black scanner (1250g-2), flex neck presentation stand (STND-15F03-009-4), USB Type A 3m coiled cable (CBL-500-300-C00) and documentation |
| 1250GHD-2USB1LITE | USB Kit: 1D, HD focus black scanner, stand (STND-15F03-009-4), USB Cable and documentation |

